



# Creating your GitHub App

The GlueOps Platform requires you install a GitHub App so that the following services can be provided:

- Deployment of Tenant Applications via a [deployment-configurations](#) repository
- Pull Request comments, generated by the [pull-request-bot](#), to display helpful links associated with preview environments.

To enable GlueOps access to your GitHub organization, you will need to do the following:

- [Creating your GitHub App](#)
  - [Create the GitHub App ID](#)
  - [Generate the private key](#)
  - [Add Display logo \(Optional\)](#)
  - [Get Installation ID](#)
  - [Retrieving values](#)

## ! INFO

For each cluster you deploy with the GlueOps platform, create a separate GitHub app as directed below.


Follow the step-by-step guide below to obtain these values:

- GitHub App ID
- Github App Installation ID
- Github App Private Key

## Create the GitHub App ID

To create the GitHub App, follow these steps:


1. On your Github Organization page, go to the **Settings > Developer settings** and click on **GitHub Apps**.



2. Click on **New GitHub App** button.



1. **GitHub App name:** Enter a name for your GitHub app. This will get used as the username for all comments in your Pull Requests and it must be globally unique across all of GitHub. If your **captain domain** is `nonprod.antoniostacos.onglueops.com`, and since it is over the 34 character limit we would recommend using a shortened version such as `np - your-org.onglueops.com` where `np` is shorthand for `nonprod`
  - **Homepage URL:** Specify the URL for the GitHub App's homepage. We suggest using `https://glueops.dev` for consistency.




1. Deselect Active as Webhooks are not currently required by the GitHub App.

## 2. Set the following repository permissions to the GitHub App

- **Permissions:** Grant the following repository permissions to the GitHub App:
  - **Contents:** Read and write
  - **Discussions:** Read and write
  - **Issues:** Read and write
  - **Metadata:** Read-only (mandatory)
  - **Pull requests:** Read and write
- **Where can this GitHub App be installed?:** Select "Only on this account." This limits the GitHub App to your organization.

## 3. Click on **Create GitHub App** to create the GitHub App with the provided configuration.



The screenshot shows the GitHub App configuration interface. At the top, there are three sections for repository permissions: 'Manage Actions repository variables', 'Webhooks', and 'Workflows', each with an 'Access: No access' dropdown menu. Below these are 'Organization permissions' and 'Account permissions' sections, both with right-pointing chevron icons. The 'Where can this GitHub App be installed?' section has two radio button options: 'Only on this account' (selected) and 'Any account'. At the bottom, there are two buttons: 'Create GitHub App' (green) and 'Cancel' (blue).

## 4. After creating the GitHub App, you will be provided with an **App ID**.

### ! INFO

Save the App ID so you can provide it to GlueOps

The screenshot shows the 'About' section of a GitHub App. On the left is a sidebar menu with options: General (selected), Permissions & events, Install App, App managers, Advanced, and Optional features. Below the menu is a 'Public page' button with an external link icon. The main content area is titled 'About' and includes: 'Owned by: @antonostacos', 'App ID: 372055', and 'Client ID: lv1.df91a77a1399abe9'. A red button labeled 'Revoke all user tokens' is present. At the bottom, there is a note: 'GitHub Apps can use OAuth credentials to identify users. Learn more about identifying users by reading our [integration developer documentation](#).'

## Generate the private key

To generate the private key for your GitHub App, follow these steps:

- On the GitHub App's homepage, scroll **down** to **Private keys** section
- Click on **Generate a private key**. This will download a private key file.

The screenshot shows the 'Private keys' section of a GitHub App. It features a heading 'Private keys' and a large green button labeled 'Generate a private key'. Below the button, it says 'You need a private key to sign access token requests.' At the bottom, there is a link: 'Learn more about private keys.'


### ! INFO

Save the Private Key so you can provide it to GlueOps


## Add Display logo (Optional)

Adding logo to your GitHub App ensures that when our bot comments it'll use the image for easy identification. To add the logo:

- Save and download the [GlueOps logo image](#)
- On the GitHub App's homepage, locate the **Display Information** section and click on **Upload logo**



Once uploaded, this is the final outcome




### ! INFO

You can also upload your own custom image if desired.


## Get Installation ID

To complete the GitHub App setup, you need to install the GitHub App in your organization.

- In the left side of the GitHub App's homepage, click on **Install App**
- Choose an account to install your GitHub App



- Confirm the installation by following the on-screen prompts.
- This ID can be retrieved from the URL of the App installation homepage



### ! INFO

From the URL

`https://github.com/organizations/YOUR_ORG/settings/installations/12345678` the GitHub App Installation ID would be `12345678`. Save this Installation ID so that you can provide it to GlueOps.

## Retrieving values

By completing the above steps, you should have obtained the following values from the GitHub App:

- [Creating your GitHub App](#)
  - [Create the GitHub App ID](#)

- [Generate the private key](#)
- [Add Display logo \(Optional\)](#)
- [Get Installation ID](#)
- [Retrieving values](#)

These values will be required by the GlueOps team before they can deploy your cluster. Please use a temporary sharing password service like [Doppler](#) or [OneTimeSecret](#) to share it with GlueOps.